Index to Volume 50 (1999)
Authors and Titles

Aarn
See Ivantsoff W 467
Acha E M, Mianzan H, Lasta C A, Guerrero R A
Estuarine spawning of the whitemouth croaker *Micropogonias furnieri* (Pisces : Sciaenidae), in the Rio de la Plata, Argentina. 57
Adams M
See Bryars S R 15
Alexander C G
See Johnston D J 213
Allen D
See Donnelly T H 689
Almeida Z
See Lessa R 383
Alongi D M
See Trott L A 451
Anderson T J, Babcock R C
Subcutaneous electromagnetic tagging of benthic octopus: a preliminary evaluation. 225
Andrew N L
See Stewart J 389
Anstiss J M
See Taylor H H 907
Apte S C
See Batley G E 729
Au D W
See Smith S E 373
Ayvazian S G
See Young G C 633

Babcock R C
See Anderson T J 225
and Kelly S 409
Baker P D
Role of akinetes in the development of cyanobacterial populations in the lower Murray River, Australia. 265
Baldwin J , Gupta A, Iglesias X
Scaling of anaerobic energy metabolism during tail flipping behaviour in the freshwater crayfish, *Cherax destructor*. 183
Banks S A
See Harriott V J 299
Barnett C W, Pankhurst N W
Reproductive biology and endocrinology of greenback flounder *Rhombosolea tapirina* (Günther 1862). 35
Batley G E, Apte S C, Stauber J L
Acceptability of aquatic toxicity data for the derivation of water quality guidelines for metals. 729
Batley G E
See also Fabris G J 503
Baverstock P R
See Jerry D R 661
Beckley L E, van der Lingen C D
Biology, fishery and management of sardines (*Sardinops sagax*) in southern African waters. 955
Berelson W M, Townsend T, Heggie D T, Ford P, Longmore A R, Skyring G W, Kilgore T, Nicholson G J
Modelling bio-irrigation rates in the sediments of Port Phillip Bay. 573
Berelson W M
See also Nicholson G J 567
and Heggie D T 589
Bird F L, Ford P W, Hancock G J
Effect of burrowing macrobenthos on the flux of dissolved substances across the water–sediment interface. 523
Blaber S J M
See Staunton-Smith J 643
Black K P
See Sokolov S 493
Blake S
See van Woesik R 427
Boon P I
See Robertson A I 813
Bormans M, Sherman B S, Webster I T
Is buoyancy regulation in cyanobacteria an adaptation to exploit separation of light and nutrients? 897
Boyd P
See Hunter K A 739
Brand S J, Lanyon J M, Limpus C J
Digesta composition and retention times in wild immature green turtles, *Chelonia mydas*: a preliminary investigation. 145
Breen B
See Marsh H 979
Bryars S R, Adams M
Allozyme study of the blue swimmer crab *Portunus pelagicus* (Crustacea : Portunidae), in Australia: stock delineation in southern Australia and evidence for a cryptic species in northern waters. 15
Bulman C M, Koslow J A, Haskard K A
Estimation of the spawning stock biomass of blue grenadier (*Macruronus novaezelandiae*) off western Tasmania based upon the annual egg production method. 197
Bunn S E
See Woolschot L 681
and Robertson A I 813
Burke C M
Molecular diffusive fluxes of oxygen in sediments of Port Phillip Bay in south-eastern Australia. 557
Burton C
See Moran M 27

Cairns S C
See Jerry D R 661
Campbell S J
Uptake of ammonium by four species of macroalgae in Port Phillip Bay, Victoria, Australia. 515
Caputi N
See Moran M 27
Carranza-Edwards A
See Rosales-Hoz L 189
Chen H-Y, Chen Y-L L
Temperature preferendum of postlarval black tiger shrimp (*Penaeus monodon*). 67
Chen Y, Kennelly S J
Growth of spanner crabs, *Ranina ranina*, off the east coast of Australia. 319
Chen Y-L L
See Chen H-Y 67
Cho E-A
See Ha K 89
Corkeron P
See Marsh H 979
Crook D A, Robertson A I
Relationships between riverine fish and woody debris: implications for lowland rivers. 941
Currie K I, Hunter K A
Seasonal variation of surface water CO_2 partial pressure in the Southland Current, east of New Zealand. 375

Davidson N C
See Finlayson C M 717
Davis K M, Dixon P I , Harris J H
Allozyme and mitochondrial DNA analysis of carp, *Cyprinus carpio* L., from south-eastern Australia. 253
Die D J, Ellis N
Aggregation dynamics in penaeid fisheries: banana prawns (*Penaeus merguiensis*) in the Australian Northern Prawn Fishery. 667
Dijkstra L H, Jellyman D J
Is the subspecies classification of the freshwater eels *Anguilla australis australis* Richardson and *A. a. schmidtii* Phillipps still valid? 261
Dixon P I
See Davis K M 253
Donnelly T H, Ford P W, McGregor D, Allen D
Anthropogenic changes to a billabong in New South Wales: 1. Lagoon evolution and phosphorus dynamics. 689

Ellis N
See Die D J 667
Eros C
See Marsh H 979
Escot C, Granado-Lorencio C
Comparison of four methods of back-calculating growth using otoliths of a European barbel, *Barbus sclateri* (Günther) (Pisces : Cyprinidae). 83

Fabris G J, Monahan C A, Batley G E
Heavy metals in waters and sediments of Port Phillip Bay, Australia. 503
Fairfull S J L, Harriott V J
Succession, space and coral recruitment in a subtropical fouling community. 235
Ferguson G J
See McGarvey R 333
Ferrell D J
See Stewart J 389
Findlay S, Sinsabaugh R L
Unravelling the sources and bioavailability of dissolved organic matter in lotic aquatic ecosystems. 781

Finlayson C M, Davidson N C, Spiers A G, Stevenson N J
Global wetland inventory – current status and future priorities. 717
Fletcher W J
Vertical distribution of pilchard (*Sardinops sagax*) eggs and larvae off southern Australia. 117
Ford P W
See Bird F L 523
and Berelson W M 573
and Donnelly T H 689
Fowler A J , McLeay L, Short D A
Reproductive mode and spawning information based on gonad analysis for the King George whiting (Percoidei : Sillaginidae) from South Australia. 1
Francis RICC
Optimum design for catch sampling of eels. 343
Francis RICC, Jellyman D J
Are mean size data adequate to monitor freshwater eel fisheries? 355

García V B
See Lucifora L O 629
García-Ruiz R, Lucena J, Niell F X
Do bacteria regenerate phosphorus while decomposing seston? 459
Graham D
See Roubal F R 291
Granado-Lorencio C
See Escot C 83
Greenwood J G
See Staunton-Smith J 643
Grutter A S
Fish cleaning behaviour in Noumea, New Caledonia. 209
Guerrero R A
See Acha E M 57
Gupta A
See Baldwin J 183

Ha K, Cho E-A, Kim H-W, Joo G-J
Microcystis bloom formation in the lower Nakdong River, South Korea: importance of hydrodynamics and nutrient loading. 89
Hancock G J, Hunter J R
Use of excess ^{210}Pb and ^{228}Th to estimate rates of sediment accumulation and bioturbation in Port Phillip Bay. 533
Hancock G J
See also Bird F L 523
Harriott V J, Banks S A, Mau R L, Richardson D, Roberts L G
Ecological and conservation significance of the subtidal rocky reef communities of northern New South Wales, Australia. 299
Harriott V J
See also Fairfull S J L 235
Harris G P
Comparison of the biogeochemistry of lakes and estuaries: ecosystem processes, functional groups, hysteresis effects and interactions between macro- and microbiology. 791
Harris J H
See Davis K M 253
Haskard K A
See Bulman C M 197
Haywood M D E
See Wang Y-G 313
Hegge B J
See Lemm A J 95
Heggie D T, Skyring G W, Orchardo J, Longmore A R, Nicholson G J, Berelson W M
Denitrification and denitrifying efficiencies in sediments of Port Philip Bay: direct determinations of biogenic N_2 and N-metabolite fluxes. 589
Heggie D T
See also Berelson W M 573
Hehir G
See Marchant R 179
Heron M L
See Prytz A 483
Herzfeld M, Tomczak M
Bottom-driven upwelling generated by eastern intensification in closed and semi-closed basins with a sloping bottom. 613
Hobday D K, Officer R A, Parry G D
Changes to demersal fish communities in Port Phillip Bay, Australia, over two decades, 1970–91. 397
Hoegh-Guldberg O
Climate change, coral bleaching and the future of the world's coral reefs. 839
Horn P L, Hurst R J
Age and stock structure of gemfish (*Rexea solandri*) in New Zealand waters. 103
Hughes J M
See Woolschot L 681
Hunter J R
See Hancock G J 533
Hunter K A
Direct disposal of liquified fossil fuel carbon dioxide in the ocean. 755
Hunter K A, Boyd P
Biogeochemistry of trace metals in the ocean. 739
Hunter K A, Kim J P, Reid M R
Factors influencing the inorganic speciation of trace metal cations in fresh waters. 367
Hunter K A
See also Currie K I 375
and Kim J P 699
Hurst R J
See Horn P L 103

Iglesias X
See Baldwin J 183
Illingworth J
See Moss G A 129
Ivantsoff W, Aarn
Detection of predation on Australian native fishes by *Gambusia holbrooki*. 467

Jeffrey S W, Wright S W, Zapata M
Recent advances in HPLC pigment analysis of phytoplankton. 879
Jellyman D J
See Dijkstra L H 261
and Francis RICC 355
Jerry D R, Raadik T A, Cairns S C, Baverstock P R
Evidence for natural interspecific hybridization between the Australian bass (*Macquaria novemaculeata*) and estuary perch (*M. colonorum*). 661
Johnston D J, Alexander C G
Functional morphology of the mouthparts and alimentary tract of the slipper lobster *Thenus orientalis* (Decapoda : Scyllaridae). 213
Joo G J
See Ha K 89

Kelly S, MacDiarmid A B, Babcock R C
Characteristics of spiny lobster, *Jasus edwardsii*, aggregations in exposed reef and sandy areas. 409
Kennelly S J
See Chen Y 319
Kenyon R A
See Pendrey R C 677
Kilgore T
See Berelson W M 573
Kim H W
See Ha K 89
Kim J P, Hunter K A, Reid M R
Geochemical processes affecting the major ion composition of rivers in the South Island, New Zealand. 699
Kim J P
See also Hunter K A 367
Koslow J A
See Bulman C M 197

Lanyon J M
See Brand S J 145
Lasta C A
See Acha E M 57
Leeming R
See O'Leary T 547
Lemm A J, Hegge B J, Masselink G
Offshore wave climate, Perth (Western Australia), 1994–96. 95
Lessa R, Santana F, Menni R, Almeida Z
Population structure and reproductive biology of the smalltail shark (*Carcharhinus porosus*) off Maranhão (Brazil). 383
Limpus C J
See Brand S J 145
Loneragan N R
See Park Y C 327
and Pendrey R C 677
Longmore A R
See Neira F J 43
and Nicholson G J 567
and Berelson W M 573
and Nicholson G J 581
and Heggie D T 589
Lucas J S
See Stump R J W 71
Lucena J
See García-Ruiz R 459

Lucifora L O, Valero J L, García V B
Length at maturity of the greeneye spurdog shark, *Squalus mitsukurii* (Elasmobranchii : Squalidae), from the SW Atlantic, with comparisons with other regions. 629

MacDiarmid A B
See Kelly S 409
Marchant R , Hehir G
A method for quantifying hand-net samples of stream invertebrates. 179
Marsh H , Eros C, Corkeron P, Breen B
A conservation strategy for dugongs: implications of Australian research. 979
Martin R B
See Young P C 417
Masselink G
See Lemm A J 95
Mau R L
See Harriott V J 299
McEwan A D
See Reichelt R E 711
McGarvey R, Ferguson G J, Prescott J H
Spatial variation in mean growth rates at size of southern rock lobster, *Jasus edwardsii*, in South Australian waters. 333
McGregor D
See Donnelly T H 689
McLeay L
See Fowler A J 1
McLoughlin R J
See Young P C 417
Melville A
See Stevenson J 229
Melville M D
See Wilson B P 149
Mendez-Jaime C
See Rosales-Hoz L 189
Menni R
See Lessa R 383
Mianzan H
See Acha E M 57
Mitchell B D
See Newton G M 441
Monahan C A
See Fabris G J 503
Monreal-Gómez M A
See Rosales-Hoz L 189
Moran M, Burton C, Caputi N
Sexual and local variation in head morphology of snapper, *Pagrus auratus*, Sparidae, in the Shark Bay region of Western Australia. 27
Morison A K
See Robertson S G 73
Moss G A, Tong L J, Illingworth J
Effects of light intensity and food density on the growth and survival of early-stage phyllosoma larvae of the rock lobster *Jasus edwardsii*. 129
Murray A G, Parslow J S
Modelling of nutrient impacts in Port Phillip bay — a semi-enclosed marine Australian ecosystem. 597
Murray S, Suthers I M
Population ecology of *Noctiluca scintillans* Macartney, a red-tide-forming dinoflagellate. 243

Neira F J, Sporcic M I, Longmore A R
Biology and fishery of pilchard, *Sardinops sagax* (Clupeidae), within a large south-eastern Australian bay. 43
Newton G M, Mitchell B D
Egg dormancy in the Australian estuarine-endemic copepods *Gippslandia estuarina* and *Sulcanus conflictus*, with reference to dormancy of other estuarine fauna. 441
Nichols P D
See O'Leary T 547
Nicholson G J, Longmore A R
Causes of observed temporal variability of nutrient fluxes from a southern Australian marine embayment. 581
Nicholson G J, Longmore A R, Berelson W M
Nutrient fluxes measured by two types of benthic chamber. 567
Nicholson G J
See also Berelson W M 573
and Heggie D T 589
Niell F X
See García-Ruiz R 459

O'Leary T, Leeming R, Nichols P D, Volkman J K
Assessment of the sources, transport and fate of sewage-derived organic matter in Port Phillip Bay, Australia, using the signature lipid coprostanol. 547
Officer R A
See Hobday D K 397
Orchardo J
See Heggie D T 589

Page M J
See Woods C M C 135
Pankhurst N W
See Barnett C W 35
Park Y C, Loneragan N R
Effect of temperature on the behaviour of the endeavour prawns *Metapenaeus endeavouri* (Schmitt) and *Metapenaeus ensis* (De Haan) (Decapoda : Penaeidae). 327
Parry G D
See Hobday D K 397
Parslow J S
See Murray A G 597
Pattiaratchi C
See Ranasinghe R 281
Pendrey R C, Loneragan N R , Kenyon R A, Vance D J
Simple morphometric characters, confirmed by gel electrophoresis, separate small juvenile banana prawns (*Penaeus indicus* and *P. merguiensis*). 677
Pettovello A D
By-catch in the Patagonian red shrimp (*Pleoticus muelleri*) fishery. 123
Plaut I
Effects of salinity acclimation on oxygen consumption in the freshwater blenny, *Salaria fluviatilis*, and the marine peacock blenny, *S. pavo*. 655
Prescott J H
See McGarvey R 333
Prytz A, Heron M L
On the flushing of Port Phillip Bay: an application of HF ocean radar. 483

Raadik T A
See Jerry D R 661
Ranasinghe R, Pattiaratchi C
Circulation and mixing characteristics of a seasonally open tidal inlet: a field study. 281
Reichelt R E, McEwan A D
Australia's marine science and technology plan: an action plan for Australia's Oceans Policy. 711
Reid M R
See Hunter K A 367
and Kim J P 699
Richardson D
See Harriott V J 299
Risk M J
Paradise lost: how marine science failed the world's coral reefs. 831
Roberts L G
See Harriott V J 299
Robertson A I , Bunn S E, Boon P I, Walker K F
Sources, sinks and transformations of organic carbon in Australian floodplain rivers. 813
Robertson A I
See also Crook D A 941
Robertson S G, Morison A K
A trial of artificial neural networks for automatically estimating the age of fish. 73
Rosales-Hoz L, Carranza-Edwards A, Mendez-Jaime C, Monreal-Gómez M A
Metals in shelf sediments and their association with continental discharges in a tropical zone. 189
Roubal F R, Graham D
Monthly variation in recruitment, infection, size, fecundity and mating of *Naobranchia variabilis* (Copepoda : Naobrachiidae) parasitic on the gills of toadfish *Tetractenos hamiltoni* from Moreton Bay, Australia. 291

Santana F
See Lessa R 383
Short D A
See Fowler A J 1
Show C
See Smith S E 373
Sinsabaugh R L
See Findlay S 781
Skyring G W
See Berelson W M 573
and Heggie D T 589
Smith S E, Au D W, Show C
Corrigendum to: Intrinsic rebound potentials of 26 species of Pacific sharks [Vol.49 issue 7 pages 663–78]. 373

Sokolov S, Black K P
Long-term prediction of water quality for three types of catchment. 493
Spiers A G
See Finlayson C M 717
Sporcic M I
See Neira F J 43
Stauber J L
See Batley G E 729
Staunton-Smith J, Blaber S J M, Greenwood J G
Interspecific differences in the distribution of adult and juvenile ponyfish (Leiognathidae) in the Gulf of Carpentaria, Australia. 643
Stevenson J, Melville A
Settlement and recruitment of the abalone *Haliotis cyclobates* Péron, 1816. 229
Stevenson N J
See Finlayson C M 717
Stewart J, Ferrell D J, Andrew N L
Validation of the formation and appearance of annual marks in the otoliths of yellowtail (*Trachurus novaezelandiae*) and blue mackerel (*Scomber australasicus*) in New South Wales. 389
Stump R J W, Lucas J S
Age estimation and patterns of growth in *Acanthaster planci*: a reply to Souter (1997). 71
Suthers I M
See Murray S 243

Taylor H H, Anstiss J M
Copper and haemocyanin dynamics in aquatic invertebrates. 907
Tomascik T
See van Woesik R 427
Tomczak M
See Herzfeld M 613
Tong L J
See Moss G A 129
Townsend T
See Berelson W M 573
Trott L A, Alongi D M
Variability in surface water chemistry and phytoplankton biomass in two tropical, tidally dominated mangrove creeks. 451

Valero J L
See Lucifora L O 629
Vance D J
See Pendrey R C 677
van der Lingen C D
See Beckley L E 955
Van Woesik R, Tomascik T, Blake S
Coral assemblages and physico-chemical characteristics of the Whitsunday Islands: evidence of recent community changes. 427
Volkman J K
Australasian research on marine natural products: chemistry, bioactivity anJ ecology. 761
Volkman J K
See also O'Leary T 547

Walker D
Some physical and chemical features of two upland crater lakes in tropical north-eastern Australia. 159
Walker K F
See Robertson A I 813
Walker S J
Coupled hydrodynamic and transport models of Port Phillip Bay, a semi-enclosed bay in south-eastern Australia. 469
Wang Y-G
A maximum-likelihood method for estimating natural mortality and catchability coefficient from catch-and-effort data. 307
Wang Y-G, Haywood M D E
Size-dependent natural mortality of juvenile banana prawns *Penaeus merguiensis* in the Gulf of Carpentaria, Australia. 313
Wells R M G
Haemoglobin function in aquatic animals: molecular adaptations to environmental challenge. 933
West G J
See Young P C 417
White I
See Wilson B P 149
Wilkinson C R
Global and local threats to coral reef functioning and existence: review and predictions. 867
Wilson B P, White I , Melville M D
Floodplain hydrology, acid discharge and change in water quality associated with a drained acid sulfate soil. 149
Wise B S
See Young G C 633
Woods C M C, Page M J
Sponge masking and related preferences in the spider crab *Thacanophrys filholi* (Brachyura : Majidae). 135
Woolschot L, Hughes J M, Bunn S E
Dispersal among populations of *Caridina* sp. (Decapoda : Atyidae) in coastal lowland streams, south-eastern Queensland, Australia. 681
Wright S W
See Jeffrey S W 879

Young G C, Wise B S, Ayvazian S G
A tagging study on tailor (*Pomatomus saltatrix*) in Western Australian waters: their movement, exploitation, growth and mortality. 633
Young P C, West G J, McLoughlin R J, Martin R B
Reproduction of the commercial scallop, *Pecten fumatus*, Reeve, 1852 in Bass Strait, Australia. 417

Zapata M
See Jeffrey S W 879